



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/664,985

09/18/2003

Barin Geoffry Haskell

Haskell 112183CON-1

4607

26652

7590

08/30/2006

EXAMINER

RAO, ANAND SHASHIKANT

AT&T CORP.

ROOM 2A207

ONE AT&T WAY

BEDMINSTER, NJ 07921

ART UNIT

PAPER NUMBER

2621

DATE MAILED: 08/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/664,985

Applicant(s)

HASKELL ET AL.

Examiner

Andy S. Rao

Art Unit

2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 16 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 35-43,50,51 and 56-70 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 35-43,50,51 and 56-70 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                                   | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. _____  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>5/1/06</u> .  | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### *Response to Amendment*

1. Applicant's arguments filed on 5/2/06 and 6/16/06 with to claims 35-43, 50-51 and 56-70 (amended) have been fully considered but they are not persuasive.

2. Claims 35-43, 50-51, and 56-70 (amended) remain rejected under 35 U.S.C. 103(a) as being unpatentable over Kato in view of Azadegan et al., (hereinafter referred to as "Azadegan"), as was set forth in the Office Action of 1/31/06.

3. The Applicants present two arguments contending the Examiner's rejection of previously provided claims 35-43, 50-51, and 56-70 under 35 U.S.C. 103(a) as being unpatentable over Kato in view of Azadegan et al., (hereinafter referred to as "Azadegan"), as was set forth in the Office Action of 1/31/06, and further puts forth these arguments in support of the minorly amended claims 35-43, 50-51, and 56-70. However after a careful consideration of the arguments presented, this Examiner must respectfully disagree, and maintain the grounds of rejection against the slightly amended claims 35-43, 50-51, and 56-70 for the reasons that follow below.

After exhaustively summarizing the legal basis for obviousness (Amendment of 5/2/06: pages 12, lines 13-24; page 13, lines 1-22; page 14, lines 1-15), the Applicants argue that since the primary Kato reference is predominantly directed towards linear quantization (Amendment of 5/2/06: page 14, lines 12-23; page 15, lines 1-11) and briefly mentions non-linear quantization (Amendment of 5/2/06: page 15, lines 13-18), one of ordinary skill in the art would not look it's incorporation with Azadegan, because it would violate the operational principles of Kato (Amendment of 5/2/06: page 15, lines 19-26; page 16, lines 1-3) . The Examiner strongly disagrees. Firstly, the Courts have long established that a reference is not strictly limited to its

Art Unit: 2621

preferred embodiment, but to what the reference can sufficiently teach or suggest to one of ordinary skill in the art, *In re Boe*, 148 USPQ 507 (CCPA 1966). As such even if a majority of Kato has been depicted with linear quantization, this dual process quantizer suggests to one of ordinary skill in art that non-linear quantization can be adapted to this embodiment. Kato specifically discloses using a precision indication mode code for triggering the particular process (Kato: column 12, lines 60-67). This more the mere speculation, and thus is more than enough for one of ordinary skill in the art to incorporate the secondary reference with Kato. Accordingly, the Examiner maintains that this combination is proper.

Secondly, the Applicants argue that the Azadegan reference's benefit of picture quality is already stipulated from Kato, one of ordinary skill in the art would not look for such a combination (Amendment of 5/2/06: page 16, lines 4-24; page 17, lines 1-13). Again, the Examiner must strongly disagree. Firstly, if similar benefits are realized by the Applicant from both references, then the Applicant is invited to explain to the Examiner how Kato teaches away from Azadegan. Similar benefits would tend to enforce relevance in teachings. However, even if we follow this line of reasoning, there is already well established case law to make a combination for a multiplied effect, in this case establishing a synergy in establishing picture quality in coding, *St. Regis Paper Co. v. Bemis Co., Inc.*, 193 USPQ 8, 11 (7<sup>th</sup> Cir. 1977). Accordingly, the Examiner maintains that the rejection is proper.

A detailed rejection addressing the minor grammatical modifications follows.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 35-43, 50-51, and 56-70 (amended) rejected under 35 U.S.C. 103(a) as being unpatentable over Kato in view of Azadegan et al., (hereinafter referred to as "Azadegan").

Kato discloses an encoder for encoding video signals (Kato: figure 13), comprising: a processing circuit to generate blocks of video data from a video information signal (Kato: column 11, lines 30-35); a transform circuit (Kato: column 12, lines 50-65) to generate DC luminance coefficients (Kato: column 7, lines 40-47), DC chrominance coefficients (Kato: column 9, lines 30-50), and AC chrominance coefficients for at least one of said blocks (Kato: column 16, lines 40-46); a quantizer circuit to receive a quantization parameter for each of said blocks (Kato: column 15, lines 60-67; column 16, lines 1-12); scale a luminance coefficient (Kato: column 16, lines 60-65) by a luminance scaling function (Kato: column 7, lines 40-47); scale a chrominance coefficient (Kato: column 12, lines 60-65) by a chrominance scaling function (Kato: column 7, lines 40-47); quantize said luminance coefficient according to said luminance scaling function, (Kato: column 7, lines 30-40); and a variable length coder to generate a variable length code based on the quantized luminance and chrominance coefficients (Kato: column 8, lines 30-40), as in claim 35. However, even though Kato discloses using a non-linear quantization with a scaling function (Kato: column 12, lines 65-67), it fails to disclose

Art Unit: 2621

using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coding regions (Azadegan: column 38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coding regions is maintained. The Kato encoder, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 35.

Regarding claim 36, the Kato encoder, now incorporating the Azadegan piece-wise linear function, has wherein said luminance and chrominance scaling functions are independent of variables other than  $p$  (Kato: column 7, lines 47-60), as in the claim.

Regarding claims 37-39, the Kato encoder, now incorporating the Azadegan piece-wise linear function, has wherein at low values of said quantization parameter said luminance scaling function and said chrominance scaling function approximate constant scaling functions, and at high values of said quantization parameter said luminance scaling function approximates 2 times said quantization parameter, and said chrominance scaling function approximates said quantization parameter (Azadegan: column 37, lines 35-43), as in the claims.

Kato discloses a decoder for decoding encoded video signals (Kato: figure 18), comprising: a variable length decoder to generate quantized video coefficients from variable length code contained within the encoded video signals (Kato: figure 18, element 152); a dequantizer circuit to identify a quantization parameter with each block associated with the

Art Unit: 2621

encoded video signals (Kato: column 22, lines 50-55) and to dequantize the video coefficients according to the quantization parameter (Kato: column 22, lines 15-27); an inverse transform circuit that transforms the dequantized video coefficients into blocks of video data (Kato: column 23, lines 55-60), and a processing circuit to generate a video signal from the blocks of video data (Kato: column 24, lines 10-20), as in claim 40. However, even though Kato discloses using a non-linear inverse quantization with a scaling function (Kato: column 13, lines 20-25), it fails to disclose using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coded regions (Azadegan: column 38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coded regions is maintained. The Kato decoder, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 40.

Regarding claim 41, the Kato decoder, now incorporating the Azadegan piece-wise linear function, has that the encoded video signals contain encoded luminance signals; the variable length decoder to generate quantized luminance coefficients based on the variable length code; the dequantizer circuit to dequantize the luminance coefficients; the inverse transform circuit to generate blocks of luminance data from the luminance coefficients; and the processing circuit to generate a luminance signal from the blocks of luminance data (Kato: column 9, lines 30-50), as in the claim.

Regarding claim 42, the Kato decoder, now incorporating the Azadegan piece-wise linear function, has that the encoded video signals contain encoded DC chrominance signals', the variable length decoder to generate quantized DC chrominance coefficients based on the variable length code; the dequantizer circuit to dequantize the DC chrominance coefficients; the inverse transform circuit to generate blocks of DC chrominance data from the DC chrominance coefficients; and the processing circuit to generate a DC chrominance signal from the blocks of DC chrominance data (Kato: column 9, lines 30-50), as in the claim.

Regarding claim 43, the Kato decoder, now incorporating the Azadegan piece-wise linear function, has that the encoded video signals contain encoded AC chrominance signals; the variable length decoder to generate quantized AC chrominance coefficients based on the variable length code; the dequantizer circuit to dequantize the AC chrominance coefficients; the inverse transform circuit to generate blocks of AC chrominance data from the AC chrominance coefficients; and the processing circuit to generate a AC chrominance signal from the blocks of AC chrominance data (Kato: column 7, lines 40-47; column 16, lines 40-47), as in the claim.

Kato discloses a video coding system (Kato: figures 13 and 18), including: a video encoder comprising: means for generating blocks of video data from a received video signal, and transforming the blocks of video data into representative video coefficients (Kato: column 11, lines 30-35); means for quantizing the video coefficients according to a received quantization parameter (Kato: column 15, lines 60-67; column 16, lines 1-12); means for generating an encoded video signal based on the quantized video coefficients (Kato: column 8, lines 30-40); and means for outputting the encoded video signal to a channel (Kato: column 14, lines 40-60); and a video decoder comprising: means for generating quantized video coefficients from the



Art Unit: 2621

encoded video signal received from the channel (Kato: figure 18, element 152); means for identifying the quantization parameter (Kato: figure 18, element 155) associated with the encoded video signal (Kato: column 22, lines 50-55); means for dequantizing the quantized video coefficients according to the identified quantization parameter (Kato: column 22, lines 15-27); means for transforming the dequantized video coefficients into blocks of video data (Kato: column 23, lines 10-20); and means for generating a representation of a video signal from the blocks of video data (Kato: column 24, lines 10-20), as in claim 50. However, even though Kato discloses using a non-linear quantization scaling function (Kato: column 12, lines 65-67) and a non-linear inverse quantization scaling function (Kato: column 13, lines 20-27), it fails to disclose using an at least three segment piece-wise linear functions for quantization and inverse quantization the video data, as in the claim. Azadegan discloses that for video coding systems using a rate quantizer model it is known to use a piece-wise linear scaling functions (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coding regions (Azadegan: column 38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato's coding system in order to ensure that acceptable picture quality across coding regions is maintained. The Kato coding system, now incorporating the Azadegan piece-wise linear functions, has all of the features of claim 50.

Regarding claim 51, the Kato coding system, now incorporating the Azadegan piece-wise linear functions, has means for embedding a quantization parameter update in a fixed length code within the encoded video signal, the code representing a change in the quantization parameter with reference to a previous value of the quantization parameter (Kato: column 3,

Art Unit: 2621

lines 20-30); and means for updating the quantization parameter based on the quantization parameter update (Kato: column 12, lines 55-67), as in the claim.

Kato discloses decoding method for a coded image data signal (Kato: column 4, lines 34-44), the coded image data signal including data of a plurality of macroblocks and further of a plurality of blocks that are members of the macroblocks (Kato: column 6, lines 30-35), each macroblock including up to four luminance blocks and up to two chrominance blocks, (Kato: column 7, lines 40-47) the method comprising: decoding coded intra macroblock data by (Kato: column 18, lines 20-45): identifying from the signal quantization parameter data for the macroblock (Kato: figure 18, element 155); generating a luminance scalar (Kato: column 10, lines 5-25) according to the quantization parameter (Kato: column 12, lines 55-67); generating a chrominance scalar (Kato: column 10, lines 5-25) according to the quantization parameter (Kato: column 12, lines 55-67); for each of up to four luminance blocks that are members of the macroblock, inverse quantizing a DC coefficient of the luminance block by the luminance scalar (Kato: column 9, lines 55-67); for each of up to two chrominance blocks that are members of the macroblock, inverse quantizing a DC coefficient of the chrominance block by the chrominance scalar (Kato: column 9, lines 30-50); transforming data of the blocks, including the respective inverse quantized DC coefficient, according to an inverse discrete cosine transform (Kato: column 10, lines 5-10); and merging data of the blocks to generate image data of the macroblock (Kato: column 10, lines 15-30); as in claim 56. However, even though Kato discloses using a non-linear inverse quantization with a scaling function (Kato: column 13, lines 20-25), it fails to disclose using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using

Art Unit: 2621

a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coded regions (Azadegan: column 38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coded regions is maintained. The Kato decoding method, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 56.

Regarding claim 57, the Kato decoding method, now incorporating the Azadegan piece-wise linear function, has wherein coded image data signal identities (Kato: column 14, lines 25-35), for at least one macroblock, is a differential update, representing a change in the quantization parameter from a previously-coded macroblock (Kato: column 16, lines 20-40), as in the claim.

Regarding claim 58, the Kato decoding method, now incorporating the Azadegan piece-wise linear function, has prior to the inverse quantizing, predicting a scaled DC coefficient of a block according to a gradient prediction analysis (Kato: column 7, lines 30-67), as in the claim.

Regarding claim 59, the Kato decoding method, now incorporating the Azadegan piece-wise linear function, has in response to a first state of a prediction flag (Kato: column 18, lines 20-40), decoding AC coefficient signal in the coded image data signal a residual signal according to an AC prediction process (Kato: column 17, lines 55-67), as in the claim.

Regarding claim 60, the Kato decoding method, now incorporating the Azadegan piece-wise linear function, has responsive to a second state of the prediction flag, decoding the AC

Art Unit: 2621

coefficient signals according to an inverse discrete cosine transform (Kato: column 17, lines 20-30), as in the claim.

Kato discloses an image coding method (Kato: column 4, lines 33-42), comprising: identifying luminance and chrominance components of an image data signal (Kato: column 7, lines 40-47)), organizing spatial areas of the image data signal into macroblocks and further to blocks (Kato: column 7, lines 20-25), wherein a macroblock includes up to four blocks of luminance data and two blocks of chrominance data (Kato: column 9, lines 30-45), transforming each luminance block and each chrominance block according to a discrete cosine transform to generate DCT coefficient data for each block, for each macroblock (Kato: column 7, lines 25-40); determining a quantizing parameter (Kato: column 12, lines 55-67); generating a luminance scalar based on the quantizing parameter (Kato: column 10, lines 5-25); generating a chrominance scalar based on the quantizing parameter (Kato: column 10, lines 5-25); scaling a DC coefficient of each luminance block according to the luminance scalar (Kato: column 12, lines 60-67); scaling a DC coefficient of each chrominance block according to the chrominance scalar (Kato: column 16, lines 25-40); and transmitting an identifier of the quantization parameter and each scaled DC coefficient via a channel (Kato: column 14, lines 20-50), as in claim 61. However, even though Kato discloses using a non-linear quantization with a scaling function (Kato: column 12, lines 65-67), it fails to disclose using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coding regions (Azadegan: column

Art Unit: 2621

38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coding regions is maintained. The Kato encoding method, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 61.

Regarding claim 62, the decoding method, now incorporating the Azadegan piece-wise linear function, has wherein the identifier of the quantization parameter for at least one macroblock is a differential update, representing a change in the quantization parameter from a previously-coded macroblock (Kato: column 12, lines 55-67; column 13, lines 1-7), as in the claim.

Regarding claim 63, the decoding method, now incorporating the Azadegan piece-wise linear function, has predicting a scaled DC coefficient of a block from a gradient prediction analysis, wherein the identifier of the respective DC coefficient represents results of the prediction (Kato: column 7, lines 45-67), as in the claim.

Regarding claim 64, the decoding method, now incorporating the Azadegan piece-wise linear function, has wherein the discrete cosine transform generates AC coefficients for at least one block, the method further comprising transmitting the AC coefficients of the block (Kato: column 16, lines 10-20), as in the claim.

Regarding claim 65, the decoding method, now incorporating the Azadegan piece-wise linear function, has the discrete cosine transform generates AC coefficients for at least one block, the method further comprising: predicting AC coefficients of the block, generating AC residuals

Art Unit: 2621

for the block, and transmitting the AC residuals (Kato: column 16, lines 55-67; column 17, lines 1-10), as in the claim.

Regarding claim 66, the decoding method, now incorporating the Azadegan piece-wise linear function, has transmitting a flag signal for a block to indicate whether AC coefficients or AC prediction residuals are to be transmitted (Kato: column 18, lines 10-62), as in the claim.

Kato discloses an image coder (Kato: figure 13) comprising: an image preprocessing circuit to identify, from an image signal, luminance and chrominance components thereof and to organize the image signal thereof (Kato: column 7, lines 40-47), into macroblocks and blocks, each macroblock having up to four luminance blocks and up to two chrominance blocks (Kato: column 9, lines 30-45); a DCT circuit, to generate from respective blocks identified by the image preprocessing circuit coefficient data of the blocks according to a discrete cosine transform (Kato: column 7, lines 25-40); and a quantizer to quantize DC coefficients blocks within each macroblock according to a quantization parameter assigned to the macroblock (Kato: column 12, lines 55-67), wherein DC coefficients of luminance blocks are scaled according to the quantization parameter (Kato: column 10, lines 5-25), and DC coefficients of chrominance blocks are scaled according to a second quantization parameter (Kato: column 16, lines 20-45), as in claim 67. However, even though Kato discloses using a non-linear quantization with a scaling function (Kato: column 12, lines 65-67), it fails to disclose using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coding regions (Azadegan: column

Art Unit: 2621

38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coding regions is maintained. The Kato encoder, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 67.

Regarding claim 68, the Kato encoder, now incorporating the Azadegan piece-wise linear function, a predictor to predict DC coefficient data of the blocks according to a gradient prediction analysis (Kato: column 7, lines 40-67); and a variable length coder coupled to the predictor (Kato: column 8, lines 30-40), as in the claim.

Kato discloses an image decoder (Kato: figure 18), to decode a coded data signal, the signal identifying coded data for a plurality of macroblocks (Kato: column 6, lines 30-35), each macroblock including coded data for up to four luminance blocks and up to two chrominance blocks (Kato: column 7, lines 40-47), the signal including an identifier of a quantization parameter for at least some of the macroblocks (Kato: figure 18, element 155), the decoder comprising: a scalar to inverse quantize scaled DC coefficients of the blocks (Kato: column 10, lines 5-25), wherein: a DC coefficient of each luminance block is inverse quantized according to a luminance scalar generated from the quantization parameter for the respective luminance block belongs (Kato: column 23, lines 45-65); and wherein a DC coefficient of each chrominance block is inverse quantized according to a chrominance scalar generated from the quantization parameter for the respective chrominance block (Kato: column 22, lines 15-25); an inverse transform circuit to perform an inverse discrete cosine transform of the blocks (Kato: column 22, lines 40-45), including the inverse quantized DC coefficients (Kato: column 22, lines 15-20); and

Art Unit: 2621

a post-processing circuit to generate reconstructed image data from the inverse transformed block data (Kato: column 22, lines 55-67), as in claim 69. However, even though Kato discloses using a non-linear inverse quantization with a scaling function (Kato: column 13, lines 20-25), it fails to disclose using an at least three segment piece-wise linear function for the luminance and chrominance scaling functions, as in the claim. Azadegan discloses that for video encoding using a rate quantizer model it is known to use a piece-wise linear scaling function (Azadegan: column 37, lines 35-45; figure 22) in order to ensure that acceptable picture quality is maintained across coded regions (Azadegan: column 38, lines 10-20). Accordingly, given this teaching, it would have been obvious for one of ordinary skill in the art to incorporate Azadegan's piece-wise linear scaling function for Kato scaling of luminance and chrominance information in order to ensure that acceptable picture quality across coded regions is maintained. The Kato decoder, now incorporating the Azadegan piece-wise linear function, has all of the features of claim 69.

Regarding claim 70, the Kato decoder, now incorporating the Azadegan piece-wise linear function, has a variable length decoder (Kato: column 23, lines 25-35), and a prediction circuit to predict the DC coefficient data for the blocks according to a gradient prediction analysis (Kato: column 7, lines 45-67), as in the claim.

### ***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after



Art Unit: 2621

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andy S. Rao whose telephone number is (571)-272-7337 and whose personal fax number is (571)-273-7337. The examiner can normally be reached on Monday-Friday 8 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on (571)-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andy S. Rao  
Primary Examiner  
Art Unit 2621

ANDY RAO  
PRIMARY EXAMINER

Application/Control Number: 10/664,985

Page 17

Art Unit: 2621

asr

August 25, 2006